

D5460-1 ANGLE BRACKET

NOTES:

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 2.00 X 2.00 X 0.13 THK
PER AMS-QQ-A-200/8
REF DART SPEC M6061T6A
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.1
- 7) WEIGHT: 0.09 lbs

RELEASED
2016-11-09
EW 6-66

APPROVED

A	NEW ISSUE		AJS	16.09.14
REV.	DESCRIPTION		BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	AJS			
CHECKED	WM	DRAWING NO.	REV. A	
MFG. APPR.	DD	D5460	SHEET 1 OF 3	
APPROVED	WM	TITLE	SCALE	
DE APPR.	DSH	HOOK SUSPENSION COMPONENTS	NTS	
DATE	16.09.14	COPYRIGHT © 2016 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>		




8 7 6 5 4 3 2 1

D

C


B

A



D5460-3 CHANNEL
(MAKE FROM D5460-3F)

0.44
2 PL, REF



D5460-3F CHANNEL
FLAT PATTERN

NOTES:


- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.040 THICK
QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027 OR ASTM B209
REF DART SPEC M6061T6S
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.1
- 7) WEIGHT: 0.09 lbs

RELEASED
2016-11-09



APPROVED

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	WM	DRAWING NO.	REV. A
MFG. APPR.	DD	D5460	SHEET 2 OF 3
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	HOOK SUSPENSION COMPONENTS	NTS
DATE	16.09.14	COPYRIGHT © 2016 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1




D5460-5 HOOK BRACKET
(MAKE FROM D5460-5F)



D5460-5F HOOK BRACKET
FLAT PATTERN

RELEASED
2016-11-09

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 0.063 THICK
PER MIL-S-5059 OR AMS 5513 OR AMS 5524
OR ASTM A240 OR ASME A240
REF DART SPEC M304S
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER DART QSI 044 6.1
 - 7) WEIGHT: 0.10 lbs



APPROVED

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	WM	DRAWING NO.	REV. A
MFG. APPR.	DD	D5460	SHEET 3 OF 3
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	HOOK SUSPENSION COMPONENTS	NTS
DATE	16.09.14	<small>COPYRIGHT © 2016 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	